



## CERTIFICATE OF ANALYSIS

<b>Product Name: Copper Bisglycinate</b>		<b>Manufacture Date: 2023.07.29</b>
<b>Batch No: QH2023072956</b>		<b>Analysis Date: 2023.08.02</b>
<b>Batch Quantity: 500kg</b>		<b>Expiration Date: 2025.07.28</b>
Items	Specifications	Results
Appearance	Blue Powder	Conform
Odor&Taste	Characteristic	Conform
Assay	$\geq 98.0\%$	99.23%
Loss on Drying	$\leq 5.00\%$	0.35%
Heavy Metal	$\leq 10$ ppm	Conform
As	$\leq 1$ ppm	<0.52 ppm
Pb	$\leq 2$ ppm	<0.26 ppm
Cd	$\leq 1$ ppm	<0.22 ppm
Hg	$\leq 0.1$ ppm	<0.002 ppm
Microbiology		
Total Plate Count	$\leq 1000$ cfu/g	<1000cfu/g
Yeast & Moulds	$\leq 100$ cfu/g	<100cfu/g
E.Coli.	Negative	Negative
Salmonella	Negative	Negative
S. Aureus	Negative	Negative
Conclusion	Complies with the Standard.	
Storage condition	Store in cool & dry place, Do not freeze. Keep away from strong light and heat.	
Shelf life	2 years when properly stored	